Version 3.1

Revision Date 10/01/2023 Print Date 04/01/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP HVY-DUTY TKO HAND CLEANER_4CS GL

Material number : R54824

Manufacturer or supplier's details			
Company	:	Zep Inc.	
Address	:	11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada	
Telephone	:	Compliance Services - 877-428-9937	

Emergency telephone nu	mbe	ſS
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded.

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

	-
Appearance	viscous
Colour	light blue
Odour	characteristic
GHS Classification	
Eye irritation	: Category 2A
GHS label elements	
Hazard pictograms	: Exclamation mark
Signal word	: Warning
Hazard statements	: H319 Causes serious eye irritation.
Precautionary statements	: Prevention:

Version 3.1

Revision Date 10/01/2023

Print Date 04/01/2024

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection. **Response:** P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	68439-57-6	>= 5 - < 10
1-Propanaminium, N-(3-aminopropyl)-2-hydroxy- N,N-dimethyl-3-sulfo-, N-coco acyl derivs., hydroxides, inner salts	68139-30-0	>= 1 - < 5
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 5
palygorskite	12174-11-7	>= 1 - < 5
stearic acid	57-11-4	>= 1 - < 5
quartz (SiO2)	14808-60-7	>= 0.1 - < 1
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	68439-57-6	>= 5 - < 10
1-Propanaminium, N-(3-aminopropyl)-2-hydroxy- N,N-dimethyl-3-sulfo-, N-coco acyl derivs., hydroxides, inner salts	68139-30-0	>= 1 - < 5
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 3
palygorskite	12174-11-7	>= 1 - < 5
stearic acid	57-11-4	>= 1 - < 5
quartz (SiO2)	14808-60-7	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	: Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: This product is formulated for use on skin but should always be immediately washed off with plenty of water. Discontinue use if irritation and redness develop. If conditions persist for more than 72 hours, consult a physician.
In case of eye contact	 Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.

Version 3.1	Revision Date 10/01/2023	Print Date 04/01/2024
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic bevera Never give anything by mouth to a If symptoms persist, call a physicia	n unconscious person.
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delayed Symptoms may include irritation, re Causes serious eye irritation. Review section 2 of SDS to see al	edness, pain, and rash.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical Foam Alcohol-resistant foam Carbon dioxide (CO2)
Unsuitable extinguishing media	: High volume water jet
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Nitrogen oxides (NOx)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Material can create slippery conditions. Use non-slip safety shoes in areas where spills or leaks can occur. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Version 3.1

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Avoid contact with eyes.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Materials to avoid	: No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
palygorskite	12174-11-7	TWAEV	1 fibres per cubic centimeter	CA QC OEL
stearic acid	57-11-4	TWA	10 mg/m3	ACGIH
		TWA	10 mg/m3	ACGIH
quartz (SiO2)	14808-60-7	TWA (Respirable particulates)	0.025 mg/m3	CA AB OEL
		TWA (Respirable fraction)	0.1 mg/m3	CA ON OEL
		TWAEV (respirable dust)	0.1 mg/m3	CA QC OEL

0	0

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection Remarks	:	No special protection is required.
Eye protection	:	Eye protection is not required while washing with this product. In the workplace, the use of safety glasses is recommended to avoid eye exposure during the handling of containers or during spill clean-up.
Skin and body protection	:	No special protection is required.
Hygiene measures	:	When using do not eat or drink.

Version 3.1

Revision Date 10/01/2023

Print Date 04/01/2024

When using do not smoke. Wash hands before breaks and immediately after handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous
Colour	:	light blue
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	5.5 - 6.5
Melting point/freezing point	:	No data available
Boiling point	:	100 °C
Flash point	:	
		does not flash
Evaporation rate	:	1
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.102 g/cm3
Solubility(ies)		
Water solubility	:	soluble
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable
Chemical stability	:	Stable under normal conditions.

Version 3.1	Revision Date 10/01/2023	Print Date 04/01/2024
Possibility of hazardous reactions	: Stable under recommended sto No hazards to be specially men	
Conditions to avoid	: No data available	
Incompatible materials	: None.	
Hazardous decomposition products	: Carbon oxides	

SECTION 11. TOXICOLOGICAL INFORMATION

	Potential Health Effects		
	Aggravated Medical Condition	: None known.	
	Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include irritation, redness, pain, ar Causes serious eye irritation. Review section 2 of SDS to see all potential hazard Treat symptomatically. Symptoms may be delayed 	ds.
	Carcinogenicity:		
	IARC	Group 1: Carcinogenic to humans	
		quartz (SiO2)	14808-60-7
	ACGIH	No component of this product present at levels greate equal to 0.1% is identified as a carcinogen or potentia carcinogen by ACGIH.	
Αςι	ite toxicity		
	Product:		
	Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
	Acute inhalation toxicity	: Acute toxicity estimate : > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method	
	Components:		
	Alcohols, C9-11, ethoxylated Acute oral toxicity		
	Alcohols, C9-11, ethoxylated Acute oral toxicity	l: : LD50 Oral Rat: 1,400 mg/kg	

Skin corrosion/irritation

Version 3.1

Product:

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Result: Irritating to eyes.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Product:

Carcinogenicity -	: Not classified due to product form (liquid) and
Assessment	classification route of entry (inhaled powder)., Not
	classifiable as a human carcinogen.

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Version 3.1	Revision Date 10/01/2023	Print Date 04/01/2024
Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications

Version 3.1

Revision Date 10/01/2023

Print Date 04/01/2024

noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

DSLAll components of this product are on the Canadian DSLTSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version:	3.1
Revision Date:	10/01/2023
Print Date:	04/01/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this

Version 3.1

Revision Date 10/01/2023

document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.